

Operators NOT Eligible for Renewal-2015

‡For February 1, 2015 renewal, only contact hours between 2/1/12 and 2/1/15 are used.

‡ Lack of Contact Hours

10/29/2014 Page 1

Op #	Name	Course	Location	Date	Hrs	Renewal?	
2202	Akland	Craig	WWC Workshop Basic Water Treatment	Vermillion Sioux Falls	03/09/2011 11/15/2011	7.0 7.5	no 1st
Craig Akland has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2769	Andrews	Jeffrey	Issued Thru Reciprocity	Pierre	09/14/2010	30.0	no 2nd
Jeffrey Andrews has 0.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
2842	Backhaus	Robert	Issued-Exam Passed	Aberdeen	08/11/2011	30.0	no 1st
Robert Backhaus has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2200	Bacon	Brandon	Basic Water Treatment	Spearfish	01/24/2012	11.5	no 1st
Brandon Bacon has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2661	Badger	Hienrick	WW Collection/Water Dist	Spearfish	10/05/2010	18.5	no 2nd
	Sharpe's		Basic Water Treatment	Spearfish	01/25/2011	17.5	
Hienrick Badger has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2442	Bala	Tejpal	Has no contact hrs since 2/1/2010				Out
976	Barthel	Clair	Small Water Tr Workshop	Aberdeen	05/03/2011	7.0	no 1st
	Ward		Control Valve Class	Flandreau	06/02/2011	3.0	
Clair Barthel has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1122	Bastian	Shawn	WW Collection/Water Dist	Watertown	08/24/2010	18.0	no 1st
			SDWWA Water Seminar	Rapid City	02/07/2011	10.0	
	2 Certs/N III/IV		Confined Space	Sioux RWS	03/15/2011	2.0	
			Electrical Safety	Sioux RWS	04/12/2011	1.5	
			RAS Safety Workshops-2012	Various	02/01/2012	3.5	

RAS Safety Workshops-2013 Various Locations 02/01/2013 4.3

Shawn Bastian has 7.8 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2750	Bebensee	Ryan	Issued-Exam Passed	Deadwood	04/08/2010	30.0	no 1st
	Elkton		WW Collection/Water Dist	Huron	04/19/2011	19.0	
	3 Certs/N III/IV		SDARWS Tech Seminar	Sioux Falls	03/26/2014	10.0	

Ryan Bebensee has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1306	Beck	Delton	Small System Workshop	Aberdeen	05/11/2010	8.0	no 1st
	Ree Heights		Small Water Treatment	Huron	09/21/2011	7.5	
	2 Certs/N III/IV		Water Distribution Wrkshp	Aberdeen	10/02/2012	7.0	
			Small Water Tr Workshop	Huron	05/28/2013	7.5	

Delton Beck has 14.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2877	Benson	Bonnie	Issued-Exam Passed	Sioux Falls	11/17/2011	30.0	no 1st
------	--------	--------	--------------------	-------------	------------	------	--------

Bonnie Benson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2485	Besco	Brian	Small Water Treatment	Deadwood	09/23/2010	7.0	no 2nd
			Basic Water Treatment	Spearfish	01/25/2011	3.5	
	2 Certs/N III/IV		Meter Class	Rapid City	05/26/2011	6.5	

Brian Besco has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2501	Bice	Gregory	MSHA-Safety Training	Winner	02/11/2010	5.0	no 1st
	Winner		SDARWS Technical Conf	Pierre	01/11/2011	6.5	
	4 Certs/N III/IV		MSHA Safety Workshop	Winner	02/10/2011	5.0	
			WWC Workshop	Pierre	03/10/2011	7.0	
			Basic Water Treatment	Spearfish	01/24/2012	19.0	
			DMR Workshop	Winner	02/16/2012	6.5	
			Safety Training	Winner	02/09/2012	5.0	

Gregory Bice has 11.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

928	Boggs	Dennis	Stage 2 Workshop	Mitchell	04/27/2010	6.5	no 1st
			MSHA Safety Workshop	Mitchell	02/09/2011	5.0	
	3 Certs/N III/IV		Energy Conservation	Mitchell	07/12/2011	6.0	
			Water Distribution Wrkshp	Sioux Falls	10/04/2012	7.0	

Dennis Boggs has 7.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

873	Boll	Donald	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 2nd
-----	------	--------	---------------------	-------------	------------	------	--------

3 Certs/N III/IV	Stage 2 Workshop	Sioux Falls	04/20/2010	6.0	
	WW Collection/Relining	Estelline	08/18/2010	6.0	
	SDWWA Conference	Sioux Falls	09/15/2010	10.0	
	SDWWA Water Seminar	Sioux Falls	02/22/2012	10.0	

Donald Boll has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2685 Borah	Andrew	SDWWA Wastewater Seminar	Rapid City	03/24/2010	10.0	no 1st
		Basic WW Treatment	Aberdeen	08/10/2010	18.0	
		MSHA Safety Workshop	Hot Springs	02/16/2011	5.0	
		WWC Workshop	Custer	11/30/2011	7.0	
		Safety Training	Hot Springs	02/15/2012	5.0	

Andrew Borah has 5.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2854 Bouta	Darren	Issued-Exam Passed	Rapid City	08/19/2011	30.0	no 1st
------------	--------	--------------------	------------	------------	------	--------

Darren Bouta has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1733 Bray	Richard	Small Water Tr Workshop	Rapid City	05/05/2011	7.0	no 1st
		Whispering Pines	Intermediate Water Dist	Rapid City	05/22/2012	

Richard Bray has 7.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1911 Brewer	Louis	Advanced Water Treatment	Yankton	05/17/2011	20.0	no 1st
-------------	-------	--------------------------	---------	------------	------	--------

Louis Brewer has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2814 Briggs	Chadd	Issued when eligible	Pierre	01/03/2012	30.0	no 1st
-------------	-------	----------------------	--------	------------	------	--------

Chadd Briggs has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2224 Brink	Benjamin	Basic Water Treatment	Sioux Falls	11/16/2010	15.0	no 2nd
------------	----------	-----------------------	-------------	------------	------	--------

Benjamin Brink has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2846 Brunns	Rachel	Issued-Exam Passed	Aberdeen	08/11/2011	30.0	no 1st
-------------	--------	--------------------	----------	------------	------	--------

Rachel Brunns has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

66 Brynjulson	Curtis	In-House Safety 2010	Sioux Falls	02/01/2010	2.5	no 1st	
		Sioux Falls WW	SDWWA Wastewater Seminar	Watertown	05/04/2011		10.0
		1 Certs/Y III/IV	2011 In-House Training	Sioux Falls	02/01/2011		4.0
		2012 In-House Training	Sioux Falls	02/01/2012	3.0		
		Confined Space	Sioux Falls	09/24/2013	2.0		

2013 In-House Training	Sioux Falls	02/01/2013	2.5
SDWWA Conference	Watertown	09/17/2014	10.0

Curtis Brynjulson has 17.5 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2666 Bucklin	James	Has no contact hrs since 2/1/2010			Out	
2392 Bullhead Sr	Darrell	Has no contact hrs since 2/1/2010			Out	
2343 Bunkofske	Robert	Hach Basic Lab Class	Tea	05/10/2011	5.5	no Out
		Meter Class	Sioux Falls	05/24/2011	6.0	

Robert Bunkofske has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1660 Byrd	Timothy	Stage 2 Workshop	Mitchell	04/27/2010	6.0	no 1st
		Tribal Energy Summit	Fort Pierre	11/03/2010	8.0	
2 Certs/Y III/IV		Mni Wiconi Water Summit	Rapid City	12/14/2010	6.0	
		SDARWS Technical Conf	Pierre	01/11/2011	6.5	
		Confined Space	Murdo	03/23/2011	2.0	
		Trench/Excavation Safety	WR LJ RWS	05/18/2011	2.0	
		Back Injury Prevention	WR/LJ RWS	08/24/2011	1.3	
		Fall Prevention/Protect	WR/LJ RWS	09/21/2011	1.5	
		RAS Safety Workshops-2011		06/01/2011	1.3	
		Water Conservation Expo	Rapid City	04/18/2012	10.0	
		Water Distribution Wrkshp	Murdo	10/03/2012	7.0	
		RAS Safety Workshops-2012	Various	02/01/2012	8.5	

Timothy Byrd has 25.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs

1010 Carr	William	Has no contact hrs since 2/1/2010				Out
2868 Carroll	Donald	Issued-Exam Passed	Spearfish	09/29/2011	30.0	no 1st
Hermosa Water Users		RAS Safety Workshops-2011		06/01/2011	2.5	

Donald Carroll has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1431 Catlette	Stephen	SDWWA Conference	Sioux Falls	09/15/2010	10.0	no 2nd
Watertown Muni Util		2010 In-House Safety	Watertown	02/01/2010	9.0	
1 Certs/Y III/IV		2011 Safety Training	Watertown	02/01/2011	13.0	

Stephen Catlette has 0.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

870 Chittim	Jay	Stage 2 Workshop	Deadwood	04/28/2010	6.0	no 1st
Contract Operator		Control Valve Workshop	Spearfish	06/15/2010	4.5	
2 Certs/Y III/IV		SDWWA Water Seminar	Rapid City	02/07/2011	10.0	

Pumps and Controls	Rapid City	04/07/2011	4.0
Inter Water Treatment	Rapid City	10/18/2011	20.0
Water Conservation Expo	Rapid City	04/18/2012	10.0
Water Conservation	Rapid City	04/24/2013	10.0

Jay Chittim has 20.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2817 Christman	Marty	Issued-Exam Passed	Spearfish	03/03/2011	30.0	no 1st
McLaughlin		Basic Water Treatment	Spearfish	01/24/2012	19.0	
4 Certs/N III/IV		DMRs and Nutrient Removal	Groton	10/15/2013	6.0	

Marty Christman has 6.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2745 Clairmont	Jess	Issued-Exam Passed	Deadwood	04/08/2010	30.0	no 1st
Rosebud RWS		Hydrant, Valve, Flushing	Rosebud	05/26/2010	5.0	
1 Certs/N III/IV		Water Dist and Math	Rosebud RWS	08/02/2011	13.5	
		Water Distribution	Mni Wiconi WTP	06/11/2013	3.0	

Jess Clairmont has 3.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2815 Clark	Virginia	Issued-Exam Passed	Spearfish	03/03/2011	30.0	no 1st
------------	----------	--------------------	-----------	------------	------	--------

Virginia Clark has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1182 Cordell	Vincent	Trench/Excavation Safety	Sioux RWS	05/24/2011	2.0	no 1st
Sioux RWS		RAS Safety Workshops-2012	Various	02/01/2012	4.5	
1 Certs/N III/IV		RAS Safety Workshops-2013	Various Locations	02/01/2013	5.3	

Vincent Cordell has 9.8 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1324 Cramer	Bruce	RW Safety Class	Arlington	02/24/2010	3.0	no 2nd
		Tank Maintenance/Repair	Huron	08/19/2010	4.5	
4 Certs/N III/IV		Hydrant/Flushing Workshop	Webster	10/27/2010	7.0	
		Confined Space	Big Sioux RWS	03/14/2011	2.0	
		Electrical Safety	Big Sioux RWS	04/11/2011	1.5	
		RAS Safety Workshops-2011		06/01/2011	1.5	
		RAS Safety Workshops-2012	Various	02/01/2012	6.5	
		RAS Safety Workshops-2013	Various Locations	02/01/2013	3.0	

Bruce Cramer has 9.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2732 DeJong	Marlin	Issued-Exam Passed	Sioux Falls	02/11/2010	30.0	no 2nd
-------------	--------	--------------------	-------------	------------	------	--------

Marlin DeJong has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

115	DeWall	Daniel	OSHA 510	Anchorage AK	03/15/2010	19.0	no 2nd
	BLM		Storm Water Mngt	Anchorage AK	01/26/2011	12.0	
	2 Certs/Y III/IV		Alaska Annual Conference	Fairbanks AK	05/08/2012	16.5	
Daniel DeWall has 16.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
120	Diez	Stephen	Wastewater Collection	Gettysburg	07/21/2010	7.0	no 2nd
			Inter Water Treatment	Rapid City	10/19/2010	18.5	
	3 Certs/Y III/IV		SDARWS Technical Conf	Pierre	01/11/2011	10.5	
			Plumbing Comm Workshop	Pierre	03/21/2011	4.0	
			Storm Water Permits	Mitchell	03/19/2013	12.3	
			Plumbing Code	On-Line	04/09/2013	4.0	
			Plumbing Code	Pierre	03/24/2014	4.0	
Stephen Diez has 20.3 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
2843	Donnell	Andrew	Issued-Exam Passed	Aberdeen	08/11/2011	30.0	no 1st
Andrew Donnell has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
125	Dravland	Steven	SDWWA Conference	Huron	09/14/2011	10.0	no Out
	Walling Water		SDWWA Conference	Rapid City	09/12/2012	8.0	
	4 Certs/Y III/IV		Phosphorus Discharges	Brookfield WI	06/06/2013	7.0	
Steven Dravland has 15.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
2691	Dyk	Travis	SDWWA Conference	Huron	09/14/2011	10.0	no Out
Travis Dyk has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
1838	Eaves	Walter	Basic Water Treatment	Huron	07/18/2011	20.0	no 1st
	Eagle River WSD		SDWWA Conference	Huron	09/14/2011	10.0	
	1 Certs/Y III/IV		2011 In-House Training	Sioux Falls	02/01/2011	3.5	
Walter Eaves has 0.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs							
1878	Eccles	Frank	SDARWS Technical Conf	Pierre	01/11/2011	11.5	no 1st
	Summit/Cof Cup		WW Collection/Water Dist	Aberdeen	08/09/2011	16.0	
Frank Eccles has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
656	Evans	Jim	Tank Maintenance/Repair	Huron	08/19/2010	4.5	no 1st
			SDARWS Technical Conf	Pierre	01/11/2011	11.5	
	2 Certs/Y III/IV		Confined Space	Minnehaha RWS	03/14/2011	2.0	
			Electrical Safety	Minnehaha RWS	04/21/2011	1.5	

Welding/Cutting	Dell Rapids	06/27/2011	1.0
Trench/Excavation Safety	Minnehaha RWS	05/16/2011	2.0
Fall Prevention/Protect	Minnehaha RWS	09/13/2011	1.5
RAS Safety Workshops-2011		06/01/2011	4.0
SDWWA Water Seminar	Sioux Falls	02/22/2012	10.0
Water Dist Workshop	Dell Rapids	04/05/2012	7.5
RAS Safety Workshops-2012	Various	02/01/2012	7.5

Jim Evans has 25.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2808	Flemming	Charles	Issued-Exam Passed	Sioux Falls	02/17/2011	30.0	no 1st
------	----------	---------	--------------------	-------------	------------	------	--------

Charles Flemming has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1471	Foster	Frank	Inter Water Treatment	Rapid City	10/18/2011	20.0	no 1st
	VA Medical Ctr-HS		Math/Safety Workshop	Deadwood	06/26/2014	7.0	

Frank Foster has 7.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1328	Freeman	Patrick	WW Collection/Water Dist	Sioux Falls	02/08/2011	20.0	no 1st
------	---------	---------	--------------------------	-------------	------------	------	--------

Patrick Freeman has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1159	Freese	Darin	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
	Sioux Falls Water		Water Dist Discharges	Sioux Falls	07/14/2010	1.5	
	1 Certs/Y III/IV		Small Water Treatment	Sioux Falls	09/20/2011	7.5	
			SDWWA Conference	Huron	09/14/2011	10.0	
			Sioux Falls WTP-In-House	Sioux Falls	02/01/2011	1.0	
			SDARWS Technical Conf	Pierre	01/08/2013	10.0	
			In-House Training-2012	Sioux Falls	02/01/2012	4.5	
			2013 In-House Training	Sioux Falls	02/01/2013	4.5	

Darin Freese has 19.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2793	French	Court	Issued-Exam Passed	Spearfish	01/27/2011	30.0	no 2nd
------	--------	-------	--------------------	-----------	------------	------	--------

Court French has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2497	Fritz	Tyler	WW Collection/Water Dist	Deadwood	04/06/2010	15.0	no 2nd
------	-------	-------	--------------------------	----------	------------	------	--------

Tyler Fritz has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1044	Fuehrer	David	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
	Dakota Dunes		Distribution Workshop	Sioux Falls	03/22/2011	6.0	
	3 Certs/Y III/IV		WW Collection/Water Dist	Rapid City	09/25/2012	17.0	

		SDWWA Water Seminar	Sioux Falls	02/05/2014	10.0	
David Fuehrer has 27.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs						
1479	Gipp	Miles	WW Collection/Water Dist	Aberdeen	08/09/2011	20.0 no 1st
Miles Gipp has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs						
167	Gorman	Michael	VFD Basics	Yankton	05/06/2010	2.0 no 1st
	Yankton		MSHA Safety Workshop	Yankton	03/18/2010	5.0
	1 Certs/Y III/IV		NeRWS Workshop	Newcastle NE	05/12/2010	6.3
			SDWWA Conference	Sioux Falls	09/15/2010	10.0
			MSHA Safety Workshop	Yankton	02/08/2011	5.0
			Net DMR	Webinar	06/14/2011	2.0
			MF/UF Membranes	AWWA Webcast	11/16/2011	1.0
			Safety Seminar-MSHA	Yankton	02/07/2012	5.0
			DMR Workshop	Sioux Falls	03/08/2012	7.0
			Gas Detectors/Confined Sp	Pierre	11/14/2012	2.0
Michael Gorman has 14.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs						
1308	Grabowska	John	WW Collection/Water Dist	Aberdeen	08/09/2011	16.0 no 1st
John Grabowska has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs						
2704	Gran	Charles	Issued when eligible	Pierre	08/01/2010	30.0 no 1st
	Kennebec		MSHA Safety Workshop	Kennebec	01/06/2011	5.0
	1 Certs/N III/IV		Safety Training	Kennebec	01/05/2012	5.0
			Annual Safety Training	Kennebec	01/09/2014	5.0
Charles Gran has 5.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs						
1158	Gustafson	John	WW Collection/Water Dist	Watertown	08/24/2010	15.0 no 2nd
John Gustafson has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs						
1763	Gutzmer	Bonnie	WW Collection/Water Dist	Deadwood	04/06/2010	7.5 no 2nd
	Peaceful Pines #2		Small System Workshop	Deadwood	05/13/2010	5.5
	1 Certs/N III/IV		Small WT Workshop	Rapid City	05/29/2014	6.5
Bonnie Gutzmer has 6.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs						
2705	Halvorson	Nate	Issued when eligible	Pierre	05/01/2010	30.0 no 1st
	Rapid City		Confined Spaces	Rapid City	12/14/2010	4.0
	1 Certs/N III/IV		Single Cert-Exam Passed	Spearfish	01/26/2012	30.0

Nate Halvorson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1178	Hanson	Steven	SDWWA Conference	Huron	09/14/2011	10.0	no 1st
	Spearfish		SDWWA Conference	Rapid City	09/12/2012	10.0	

Steven Hanson has 10.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2652	Harper	Charles	MSHA Safety Workshop	Yankton	02/08/2011	5.0	no 1st
	Mission Hill/Utica		WWC Workshop	Vermillion	03/09/2011	7.0	
	2 Certs/N III/IV		NETDMR	On-Line	03/13/2012	4.0	

Charles Harper has 4.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2644	Harris	Patrick	MSHA Safety Workshop	Mitchell	03/24/2010	5.0	no 1st
			Infrastructure Technology	Mitchell	12/14/2010	3.0	
	3 Certs/N III/IV		WW Collection/Water Dist	Sioux Falls	02/08/2011	20.0	
			MSHA Safety Workshop	Menno	02/22/2011	5.0	

Patrick Harris has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

202	Hemmingson	Ronald	MSHA Safety Workshop	Aberdeen	01/25/2011	5.0	no Out
			Safety Training	Aberdeen	01/24/2012	5.0	

Ronald Hemmingson has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2648	Hericks	Nick	WW Collection/Water Dist	Deadwood	04/06/2010	18.5	no 1st
			Confined Spaces	Rapid City	12/14/2010	4.0	
	1 Certs/N III/IV		SDWWA Wastewater Seminar	Watertown	05/04/2011	10.0	

Nick Hericks has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

204	Herron	Terry	RW Safety Class	Groton	02/23/2010	3.0	no 1st
	Groton		Stabilization Pond Wkshp	Watertown	03/03/2010	7.0	
	3 Certs/N III/IV		Stage 2 Workshop	Aberdeen	04/21/2010	6.0	
			SDWWA Wastewater Seminar	Watertown	05/04/2011	10.0	
			MSHA Safety	Aberdeen	01/25/2013	5.0	
			SDWWA Conference	Watertown	09/17/2014	7.0	

Terry Herron has 12.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

208	Hieb	Norman	MSHA Safety Workshop	Mobridge	03/24/2010	5.0	no 2nd
	Timber Lake		MSHA Safety Workshop	Mobridge	01/15/2011	5.0	
	1 Certs/N III/IV		Safety Training	Mobridge	01/18/2012	5.0	

Norman Hieb has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2513	Hight	Paul	HAZWOPER		12/02/2010	8.0	no 1st
	Gilt Edge WWTP		HAZWOPR		01/05/2012	8.0	
	1 Certs/N III/IV		HAZWOPER		01/26/2013	8.0	

Paul Hight has 8.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1381	Hines	James	SDWWA Wastewater Seminar	Rapid City	03/24/2010	10.0	no 2nd
			Basic WW Treatment	Aberdeen	12/03/2013	7.5	

James Hines has 7.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs

655	Hoeltzner	Curt	SDWWA Wastewater Seminar	Watertown	05/04/2011	10.0	no 1st
	Aberdeen		SDWWA Conference	Huron	09/14/2011	10.0	
	1 Certs/Y III/IV		SDWWA Wastewater Seminar	Pierre	04/30/2014	10.0	

Curt Hoeltzner has 10.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2835	Hofer	Robert	Issued-Exam Passed	Sioux Falls	06/09/2011	30.0	no 1st
	Pleasant Valley Col.		Ditch Witch University	Sioux Falls	01/10/2012	2.0	
	1 Certs/N III/IV		Ditch Witch University	Sioux Falls	01/07/2014	6.0	

Robert Hofer has 6.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1561	Hofman	Harold	Basic Water Treatment	Huron	07/13/2010	18.5	no 2nd
------	--------	--------	-----------------------	-------	------------	------	--------

Harold Hofman has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1918	Hohbach	Doug	Waterworks Training-DSG	Mitchell	07/21/2010	3.0	no 2nd
	Letcher		Hydrant/Flushing Workshop	Howard	10/26/2010	7.0	

Doug Hohbach has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1700	Huisman	James	Distribution Workshop	Sioux Falls	03/22/2011	6.0	no 1st
			Meter Class	Sioux Falls	05/24/2011	6.0	

James Huisman has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

223	Hupp	Forrest	Stabilization Pond Wkshp	Sioux Falls	03/02/2010	7.0	no 1st
	Presho		Stage 2 Workshop	Mitchell	04/27/2010	6.0	
	4 Certs/N III/IV		Meter Class	Oacoma	05/25/2011	6.0	
			DMR Workshop	Winner	02/16/2012	6.5	
			Leak Detection Workshop	Mitchell	04/03/2013	7.0	

Forrest Hupp has 13.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1959	Iverson	Phil	SDWWA Water Seminar	Sioux Falls	02/03/2010	6.5	no 1st
	Clay RWS		RW Safety Class	Parker	02/26/2010	3.0	
	2 Certs/N III/IV		Water Training	Vermillion	03/08/2011	6.5	
			Confined Space	Clay RWS	03/25/2011	2.0	
			Electrical Safety	Clay RWS	04/15/2011	1.5	
			Trench/Excavation Safety	Clay RWS	05/13/2011	2.0	
			Back Injury Prevention	BDM RWS	08/29/2011	1.3	
			Fall Prevention/Protect	Clay RWS	09/16/2011	1.5	
			Ditch Witch University	Sioux Falls	01/10/2012	4.0	
			2013 Technology Exhibits	Sioux Falls	07/24/2013	3.0	
			RAS Safety Workshops-2013	Various Locations	02/01/2013	8.0	

Phil Iverson has 11.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2197	Janklow III	Art	Basic Water Treatment	Spearfish	01/25/2011	7.0	no Out
------	-------------	-----	-----------------------	-----------	------------	-----	--------

Art Janklow III has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2865	Jensen	Jay	Issued-Exam Passed	Spearfish	09/29/2011	30.0	no 1st
------	--------	-----	--------------------	-----------	------------	------	--------

Jay Jensen has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1668	Jewett	Cody	SDARWS Technical Conf	Pierre	01/11/2011	11.5	no Out
------	--------	------	-----------------------	--------	------------	------	--------

Cody Jewett has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

242	Johnson	Lyle	Pumping System Efficiency Webinar		02/04/2010	1.0	no 1st
	HDR Engineering		Reclaimed Water Use	AWWA Webcast	05/26/2010	1.5	
	2 Certs/Y III/IV		Co-Digestion of Org Waste	WEF Webinar	07/14/2010	2.0	
			In-House Safety 2010	Sioux Falls	02/01/2010	0.5	
			2011 In-House Training	Sioux Falls	02/01/2011	1.5	
			NE WEA Conference	Kearney NE	11/03/2010	4.5	
			Heartland Ops Conference	Kearney NE	07/22/2011	2.0	
			Misc Webinars-2011		02/01/2011	8.0	
			Membrane Bioreactors	WEF Webinar	03/07/2012	2.0	
			IA WEA Conference	Iowa City IA	05/08/2012	5.0	
			IA AWWA Conference	Dubuque IA	10/25/2012	3.0	
			NE WEA Conference	Kearney NE	11/07/2012	3.0	
			IA Nutrient Reduction	Denison IA	12/17/2012	1.5	
			IA WEA Conference	Dubuque IA	06/05/2013	7.3	

Lyle Johnson has 21.8 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2103	Jorgensen	Dale	SDARWS Technical Conf	Pierre	01/11/2011	11.5	no 1st
			MSHA Safety Workshop	Aberdeen	01/28/2011	5.0	
	1 Certs/Y III/IV		SDARWS Technical Conf	Pierre	01/10/2012	11.5	
			Safety Training	Aberdeen	01/26/2012	5.0	
			Inter Water Treatment	Rapid City	09/24/2013	18.5	
Dale Jorgensen has 18.5 contact hours for 2015 renewal. Requires 20 hours/3 yrs							
245	Jorgensen	Randy	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
			VFD Basics	Yankton	05/06/2010	2.0	
	2 Certs/Y III/IV		MSHA Safety Workshop	Yankton	03/18/2010	5.0	
			SDWWA Conference	Sioux Falls	09/15/2010	10.0	
			VFD Training	Yankton	12/07/2010	1.0	
			MPLS Water Plant	Minneapolis MN	02/22/2011	2.0	
			Advanced Water Treatment	Yankton	05/17/2011	20.0	
			MF/UF Membranes	AWWA Webcast	11/16/2011	1.0	
			Inter Water Treatment	Sioux Falls	04/24/2012	18.5	
Randy Jorgensen has 18.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
2789	Julson	Dan	Issued-Exam Passed	Sioux Falls	12/09/2010	30.0	no 2nd
Dan Julson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1539	Kaltenbach	Fred	MSHA Safety Class	Sioux Falls	03/04/2010	5.0	no Out
			Back Injury Prevention	Canton	07/14/2010	1.5	
	2 Certs/N III/IV		MSHA Safety Workshop	Sioux Falls	02/24/2011	5.0	
Fred Kaltenbach has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
251	Karas	Frank	MSHA Safety Workshop	Sturgis	01/12/2011	5.0	no 1st
	Contract Operator		WW Collection/Water Dist	Spearfish	09/27/2011	18.5	
	3 Certs/Y III/IV		Safety Training	Belle Fourche	01/12/2012	5.0	
			Basic Water Treatment	Spearfish	01/22/2013	7.5	
			Basic Water Treatment	Watertown	07/09/2013	15.0	
Frank Karas has 22.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
1623	Kohnen	Daniel	RW Safety Class	Groton	02/23/2010	3.0	no 1st
	Aberdeen		MSHA Safety Workshop	Aberdeen	01/25/2011	5.0	
	2 Certs/N III/IV		WW Collection/Water Dist	Aberdeen	08/09/2011	20.0	
			Safety Training	Aberdeen	01/25/2012	2.5	
			Safety Training	Aberdeen	01/27/2012	2.5	
			MSHA Safety	Aberdeen	01/22/2013	5.0	
			Safety Seminar	Aberdeen	01/28/2014	5.0	

Daniel Kohnen has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1187	Krebs	George	WW Lab Class	Lead	02/25/2010	6.0	no 2nd
			Inter Water Treatment	Rapid City	10/19/2010	18.5	

George Krebs has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2782	Kroeger	Darrell	Issued-Exam Passed	Sioux Falls	11/18/2010	30.0	no 2nd
			Confined Space	Lincoln RWS	03/25/2011	2.0	
	2 Certs/N III/IV		Electrical Safety	Lincoln RWS	04/15/2011	1.5	
			Control Valve Class	Flandreau	06/02/2011	3.0	
			HDS Distribution Workshop	Sioux Falls	06/14/2011	4.0	
			Trench/Excavation Safety	Lincoln RWS	05/13/2011	2.0	
			Fall Prevention/Protect	Lincoln RWS	09/23/2011	1.5	

Darrell Kroeger has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2386	Kruiter	Kevin	SDWWA Water Seminar	Rapid City	02/07/2011	10.0	no 1st
			2010 In-House Safety	Watertown	02/01/2010	10.0	
	1 Certs/Y III/IV		2011 Safety Training	Watertown	02/01/2011	14.0	
			DMR Workshop	Watertown	03/07/2012	7.0	

Kevin Kruiter has 7.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2520	Ladwig	Shane	Hydrant/Flushing Workshop	Howard	10/26/2010	7.0	no 1st
	Willow Lake		WW Collection/Water Dist	Sioux Falls	02/08/2011	20.0	

Shane Ladwig has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2003	Lage	Jeffrey	SDARWS Technical Conf	Pierre	01/11/2011	9.5	no 1st
	Ranch at Black Gap		SDARWS Technical Conf	Pierre	01/10/2012	11.5	
	2 Certs/N III/IV		Water Conservation	Rapid City	04/24/2013	10.0	

Jeffrey Lage has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2802	Lewis	David	Issued-Exam Passed	Spearfish	01/27/2011	30.0	no 2nd
	Winner		DSG Distribution Workshop	Tripp RWS	08/16/2011	6.0	

David Lewis has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1599	Licht	Jon	SDWWA Water Seminar	Rapid City	02/07/2011	10.0	no 1st
	Hisega/Siphon Hills		Inter Water Treatment	Rapid City	10/18/2011	20.0	
	2 Certs/N III/IV		Inter Water Distribution	Rapid City	03/12/2013	7.5	

Jon Licht has 7.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1447	Lounsbery	Dennis	Basic Water Treatment	Huron	07/13/2010	18.5	no 2nd
------	-----------	--------	-----------------------	-------	------------	------	--------

Dennis Lounsbery has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2841	Lowe	Jamie	Issued-Exam Passed	Pierre	08/04/2011	30.0	no 1st
------	------	-------	--------------------	--------	------------	------	--------

Jamie Lowe has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2277	Luksha	William	Advanced Waste	CSUS	11/10/2010	90.0	no 2nd
------	--------	---------	----------------	------	------------	------	--------

William Luksha has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2539	Madsen	Bonnie	Small System Workshop	Deadwood	05/13/2010	7.0	no 2nd
			Hydrant, Valve, Flushing	Rosebud	05/26/2010	5.0	

Bonnie Madsen has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

673	Maynard	Franklin	Inter Water Treatment	Rapid City	10/18/2011	20.0	no 1st
-----	---------	----------	-----------------------	------------	------------	------	--------

Franklin Maynard has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1977	McKee	Michael	Small Water Treatment	Rapid City	09/22/2011	6.5	no 1st
	Crooked Creek/Ray Sm		Water Conservation Expo	Rapid City	04/18/2012	6.5	
	4 Certs/N III/IV		Small Water Treatment	Rapid Valley RWS	05/10/2012	3.0	

Michael McKee has 9.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2735	McManus	Chad	Issued-Exam Passed	Pierre	03/23/2010	30.0	no 2nd
------	---------	------	--------------------	--------	------------	------	--------

Chad McManus has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1663	Meinen	Donald	SDARWS Safety Class	Oacoma	03/25/2010	3.0	no Out
			HDS Distribution Workshop	Oacoma	06/15/2011	5.0	

Donald Meinen has 0.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2884	Mews	Jake	Issued-Exam Passed	Sioux Falls	11/17/2011	30.0	no 1st
			In-House Training-2012	Sioux Falls	02/01/2012	7.5	

Jake Mews has 7.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1707	Mielke	Todd	Has no contact hrs since 2/1/2010				Out
------	--------	------	-----------------------------------	--	--	--	-----

1153	Miiller	Rod	Issued-Exam Passed	Sioux Falls	12/09/2010	30.0	no 2nd
Rod Miiller has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2294	Millard	Raymond	Small Water Treatment Basic Water Treatment	Deadwood Spearfish	09/23/2010 01/24/2012	7.0 19.0	no 1st
Raymond Millard has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
333	Milliken	Brad	MSHA Safety Workshop Stage 2 Workshop MSHA Safety Workshop SDARWS Technical Conf Safety Training DMR Workshop	Mobridge Aberdeen Mobridge Pierre Mobridge Aberdeen	03/24/2010 04/21/2010 01/20/2011 01/10/2012 01/19/2012 03/06/2012	5.0 6.0 5.0 11.5 5.0 7.0	no 1st
Brad Milliken has 7.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2328	Moseley	Holly	Basic Water Treatment	Spearfish	01/25/2011	10.5	no 2nd
Holly Moseley has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
347	Munson	Sidney	RW Managers Meeting SDARWS SDARWS SDWWA Conference NWRA Circuit Riders Water Conservation	Fort Pierre Sioux Falls Huron Tulsa OK Rapid City	02/04/2010 09/15/2010 09/14/2011 06/12/2012 04/24/2013	7.5 10.0 10.0 13.5 10.0	no 1st
Sidney Munson has 23.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
1808	Neiman	Henry	Small Water Treatment	Huron	09/21/2010	7.0	no Out
Henry Neiman has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1807	Neiman	Judi	Small Water Treatment	Huron	09/21/2010	7.0	no Out
Judi Neiman has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1768	Nelson	Gene	SDWWA Wastewater Seminar	Rapid City	03/24/2010	10.0	no 2nd
Gene Nelson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2855	Nelson	Jesse	Issued-Exam Passed	Rapid City	08/19/2011	30.0	no 1st
Jesse Nelson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							

1904	Norgaard	Daryl	Small Water Treatment	Huron	09/21/2010	7.0	no 1st
	Badger		Small Water Treatment	Huron	09/21/2011	7.5	
	2 Certs/N III/IV		WW Collection/Water Dist	Sioux Falls	02/05/2013	7.5	

Daryl Norgaard has 7.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2242	Noriega	Adrian	CA/NV Spring Conference	Hollywood CA	03/29/2010	17.1	no 1st
	Fallon NV		CA/NV AWWA Conference	Reno NV	10/17/2011	7.7	
	2 Certs/N III/IV		Chlorine Residual Monitor	Nevada	05/02/2012	2.5	
			Leak Detection	Fallon NV	10/23/2012	2.0	
			Water Quality	Fallon NV	01/18/2013	3.0	

Adrian Noriega has 7.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2292	O'Rourke	Samuel	Has no contact hrs since 2/1/2010				Out
------	----------	--------	-----------------------------------	--	--	--	-----

2811	Oberle	Steve	Issued-Exam Passed	Sioux Falls	02/17/2011	30.0	no 1st
	Tea		Single Cert-Exam Passed	Sioux Falls	02/17/2011	30.0	
	1 Certs/N III/IV		WW Collection/Water Dist	Sioux Falls	02/07/2012	3.5	

Steve Oberle has 3.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2801	Parker	Lawrence	Issued when eligible	Pierre	12/01/2011	30.0	no 1st
	Newell		DMR Workshop	Bison	03/13/2013	7.0	
	4 Certs/N III/IV		WW Collection/Water Dist	Rapid City	10/07/2014	1.5	

Lawrence Parker has 8.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2308	Patenode	Patrick	Stabilization Pond Wkshp	Watertown	03/03/2010	7.0	no 2nd
			Stage 2 Workshop	Watertown	04/22/2010	3.0	

Patrick Patenode has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

382	Pederson	Steven	Smithfield WW Training	Sioux Falls	03/09/2010	12.0	no 1st
			SDWWA Conference	Huron	09/14/2011	10.0	
	3 Certs/Y III/IV		SDWWA Wastewater Seminar	Sioux Falls	05/01/2012	10.0	
			SDWWA Wastewater Seminar	Pierre	05/01/2013	10.0	

Steven Pederson has 20.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

1929	Peneaux	Stan	Basic Water Treatment	Spearfish	01/25/2011	14.0	no 2nd
	Sioux San Hospital		Meter Class	Rapid City	05/26/2011	6.5	

Stan Peneaux has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2472	Peterson	Evan	SDWWA Water Seminar	Sioux Falls	02/03/2010	6.5	no 2nd
			RW Safety Class	Parker	02/26/2010	3.0	
	2 Certs/N III/IV		Confined Space	Clay RWS	03/25/2011	2.0	
			Electrical Safety	Clay RWS	04/15/2011	1.5	
			Trench/Excavation Safety	Clay RWS	05/13/2011	2.0	
			Back Injury Prevention	BDM RWS	08/29/2011	1.3	
			Fall Prevention/Protect	Clay RWS	09/16/2011	1.5	
			RAS Safety Workshops-2011		06/01/2011	2.8	
			Ditch Witch University	Sioux Falls	01/10/2012	2.0	

Evan Peterson has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2888	Poss	Beth	Issued-Exam Passed	Spearfish	01/26/2012	30.0	no 1st
------	------	------	--------------------	-----------	------------	------	--------

Beth Poss has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2891	Powles	Brandon	Issued-Exam Passed	Spearfish	01/26/2012	30.0	no 1st
------	--------	---------	--------------------	-----------	------------	------	--------

Brandon Powles has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2444	Price	Craig	Tank & Tower Workshop	Rapid City	06/23/2011	7.5	no 1st
	Pine Hills Park		Inter Water Treatment	Rapid City	10/18/2011	8.0	

Craig Price has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2829	Prickett	Andy	Issued-Exam Passed	Huron	04/21/2011	30.0	no 1st
			MSHA Safety Training	Mitchell	03/21/2012	5.0	

Andy Prickett has 5.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

393	Prince	Gregory	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
	Minnehaha RWS		RW Safety Class	Parker	02/26/2010	3.0	
	2 Certs/Y III/IV		SDARWS Safety Class	Parker	03/26/2010	3.0	
			Confined Space	Minnehaha RWS	03/14/2011	2.0	
			Electrical Safety	Minnehaha RWS	04/21/2011	1.5	
			Welding/Cutting	Dell Rapids	06/27/2011	1.0	
			Trench/Excavation Safety	Minnehaha RWS	05/16/2011	2.0	
			Fall Prevention/Protect	Minnehaha RWS	09/13/2011	1.5	
			RAS Safety Workshops-2011		06/01/2011	4.0	
			SDARWS Technical Conf	Pierre	01/10/2012	11.5	
			RAS Safety Workshops-2012	Various	02/01/2012	8.5	
			RAS Safety Workshops-2013	Various Locations	02/01/2013	3.0	

Gregory Prince has 11.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2350	Quam	Lonnie	WW Collection/Water Dist	Huron	04/19/2011	10.0	no 1st
Lonnie Quam has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2173	Rand	Matthew	RW Safety Class Basic WW Treatment	Parker Sioux Falls	02/26/2010 02/09/2010	3.0 15.0	no 2nd
Matthew Rand has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2101	Reemts	Larry	Basic WW Treatment	Sioux Falls	12/06/2011	15.0	no 1st
Larry Reemts has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2799	Reeves	Ryan	Issued-Exam Passed	Spearfish	01/27/2011	30.0	no 1st
	Belle Fourche		Basic WW Treatment	Spearfish	03/01/2011	18.0	
	4 Certs/N III/IV		Basic Water Treatment	Spearfish	01/24/2012	4.0	
			WW Collection/Water Dist	Rapid City	09/25/2012	7.5	
Ryan Reeves has 7.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2743	Reif	Scott	Issued when eligible	Pierre	04/01/2011	30.0	no 1st
	Deadwood		WW Collection/Water Dist	Spearfish	09/27/2011	15.0	
	2 Certs/N III/IV		Water Conservation Expo	Rapid City	04/18/2012	10.0	
Scott Reif has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2141	Richarz	Jeffrey	WW Collection/Water Dist	Huron	04/19/2011	19.0	no 1st
Jeffrey Richarz has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2668	Roa III	Manuel	Has no contact hrs since 2/1/2010				Out
403	Rogers	Homer	Basic Water Treatment	Spearfish	01/25/2011	17.5	no Out
			2011 Safety Courses	Spearfish	02/01/2011	2.5	
	4 Certs/Y III/IV		Water Conservation Expo	Rapid City	04/18/2012	6.5	
			In-House Training-2012	Spearfish	02/01/2012	3.3	
Homer Rogers has 9.8 contact hours for 2015 renewal. Requires 30 hours/3 yrs							
409	Roth	Mark	SDARWS Technical Conf	Pierre	01/11/2011	11.5	no 1st
	Eatherly Const		SDARWS Technical Conf	Pierre	01/10/2012	11.5	
	2 Certs/Y III/IV		SDARWS Technical Conf	Pierre	01/08/2013	10.0	
			SDARWS Tech Conference	Pierre	01/14/2014	10.5	

Mark Roth has 20.5 contact hours for 2015 renewal. Requires 30 hours/3 yrs

410	Roth, Jr.	Reuben	Basic Water Treatment	Sioux Falls	11/15/2011	18.5	no 1st
	Brookings Muni Util		Advanced WW Treatment	Brookings	05/17/2012	19.0	

Reuben Roth, Jr. has 19.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

428	Schilling	Dean	MSHA Safety Workshop	Mobridge	03/24/2010	5.0	no 1st
	Mobridge		SDWWA Conference	Sioux Falls	09/15/2010	10.0	
	1 Certs/Y III/IV		MSHA Safety Workshop	Mobridge	01/20/2011	5.0	
			SDWWA Wastewater Seminar	Watertown	05/04/2011	10.0	
			Safety Training	Mobridge	01/19/2012	5.0	
			SDWWA Wastewater Seminar	Sioux Falls	05/01/2012	10.0	

Dean Schilling has 10.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

442	Sedlacek	Gary	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
			Stage 2 Workshop	Mitchell	04/27/2010	6.0	
	4 Certs/Y III/IV		Tank Maintenance/Repair	Huron	08/19/2010	4.5	
			Advanced Water Treatment	Yankton	05/17/2011	20.0	
			DSG Distribution Workshop	B-Y RWS	08/15/2011	6.0	
			Leak Detection Workshop	Mitchell	04/03/2013	7.0	

Gary Sedlacek has 7.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2837	Selken	Justin	Issued-Exam Passed	Sioux Falls	06/09/2011	30.0	no 1st
------	--------	--------	--------------------	-------------	------------	------	--------

Justin Selken has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

448	Sieveke	Rollin	SDWWA Wastewater Seminar	Rapid City	03/24/2010	10.0	no 1st
	Black Hills Water Co		WW Collection/Water Dist	Spearfish	09/27/2011	11.0	
	4 Certs/Y III/IV		SDWWA Conference	Rapid City	09/12/2012	10.0	
			Water Conservation	Rapid City	04/24/2013	10.0	

Rollin Sieveke has 20.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

860	Silva	Connie	2010 Safety Classes	Madison	02/01/2010	13.0	no 1st
	Madison		SDWWA Wastewater Seminar	Watertown	05/04/2011	10.0	
	2 Certs/Y III/IV		Net DMR	Webinar	06/14/2011	6.0	
			2011 Safety Training	Madison	02/01/2011	10.0	
			2012 Safety Training	Madison	02/01/2012	6.0	

Connie Silva has 6.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2872	Sloan	Eric	Issued-Exam Passed	Spearfish	09/29/2011	30.0	no 1st
------	-------	------	--------------------	-----------	------------	------	--------

Ellsworth AFB	Basic Water Treatment	Spearfish	01/24/2012	19.0
2 Certs/N III/IV	Water Conservation Expo	Rapid City	04/18/2012	10.0

Eric Sloan has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2585 Smoot	Kim	Basic Water Treatment	Spearfish	01/25/2011	17.5	no 1st
Belle Fourche		Confined Spaces	Whitewood	05/25/2011	3.0	
3 Certs/N III/IV		Safety Training	Belle Fourche	01/12/2012	5.0	
		Inter Water Treatment	Rapid City	09/24/2013	11.0	

Kim Smoot has 11.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2681 Stahl	Benny	Basic Water Treatment	Sioux Falls	11/15/2011	15.0	no 1st
Deerfield Colony		Inter Water Treatment	Sioux Falls	05/06/2014	7.5	

Benny Stahl has 7.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs

1821 Stahl	Soloman	Basic Water Treatment	Sioux Falls	11/15/2011	15.0	no 1st
------------	---------	-----------------------	-------------	------------	------	--------

Soloman Stahl has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2248 Steele	Rick	WY RW Conference	Gillette WY	09/21/2010	18.0	no 2nd
-------------	------	------------------	-------------	------------	------	--------

Rick Steele has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

608 Sternhagen	Robert	Advanced Water Treatment	Yankton	05/17/2011	20.0	no 1st
B-Y RWS		DSG Distribution Workshop	B-Y RWS	08/15/2011	6.0	
2 Certs/Y III/IV		Intermediate Water Dist	Sioux Falls	05/24/2012	7.5	
		Inter Water Treatment	Sioux Falls	09/23/2014	18.5	

Robert Sternhagen has 26.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2115 Stone	Scott	Pumps and Controls	Rapid City	04/07/2011	4.0	no 1st
Rio Tinto Energy		Small Water Tr Workshop	Rapid City	05/05/2011	7.0	

Scott Stone has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2862 Stonesifer	Joseph	Issued-Exam Passed	Watertown	08/25/2011	30.0	no 1st
-----------------	--------	--------------------	-----------	------------	------	--------

Joseph Stonesifer has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2556 Sudmeier	Richard	Inter Water Treatment	Rapid City	10/19/2010	15.0	no 2nd
---------------	---------	-----------------------	------------	------------	------	--------

Richard Sudmeier has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2095	Summers	James	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 1st
	Watertown Muni Util		2010 In-House Safety	Watertown	02/01/2010	7.0	
	1 Certs/Y III/IV		2011 Safety Training	Watertown	02/01/2011	12.0	
			2012 In-House Safety	Watertown	02/01/2012	10.0	

James Summers has 10.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2893	Swanson	Jeff	Issued-Exam Passed	Spearfish	01/26/2012	30.0	no 1st
------	---------	------	--------------------	-----------	------------	------	--------

Jeff Swanson has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2778	Thomas	Justin	Issued-Exam Passed	Spearfish	10/07/2010	30.0	no 2nd
			DSG Distribution Workshop A-B RWS		08/18/2011	3.0	

Justin Thomas has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

678	Tobin	Gary	WW Collection/Water Dist	Spearfish	10/05/2010	18.5	no 1st
	Mid-Dakota RWS		Confined Space	Miller	03/17/2011	2.0	
	4 Certs/Y III/IV		Electrical Safety	Mid-Dakota RWS	04/14/2011	1.5	
			Trench/Excavation Safety	Mid-Dakota RWS	06/16/2011	2.0	
			DSG Distribution Workshop	Mid-Dakota RWS	08/17/2011	6.0	
			Fall Prevention/Protect	Mid-Dakota RWS	09/09/2011	1.5	
			RAS Safety Workshops-2011		06/01/2011	2.5	
			RAS Safety Workshops-2012	Various	02/01/2012	11.0	
			First Aid	Mni Wiconi RWS	03/20/2013	6.5	
			RAS Safety Workshops-2013	Various Locations	02/01/2013	10.8	

Gary Tobin has 28.3 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2282	Todd	Albert	Basic Water Treatment	Spearfish	01/24/2012	15.0	no 1st
------	------	--------	-----------------------	-----------	------------	------	--------

Albert Todd has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2612	Trautner	Joe	Distribution Workshop	Sioux Falls	03/22/2011	6.0	no 1st
	Hazel		DSG Distribution Workshop	Mid-Dakota RWS	08/17/2011	6.0	

Joe Trautner has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2519	Tschakert	Daniel	Basic WW Treatment	Sioux Falls	12/07/2010	10.0	no 2nd
------	-----------	--------	--------------------	-------------	------------	------	--------

Daniel Tschakert has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs

2687	Turner	Brian	NPS Water Workshop	Nashville TN	03/02/2010	15.0	no 1st
	Curecanti Rec Area		Basic WW Treatment	Sioux Falls	12/07/2010	18.5	
	4 Certs/N III/IV		PRVs and System Valves	Gunnison CO	09/15/2011	6.0	

PWS Disinfection	Colorado	09/18/2012	6.0
PWS O&M Manual	Colorado	10/11/2012	4.0

Brian Turner has 10.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

489	Ulwelling	Ronald	SDWWA Conference	Sioux Falls	09/15/2010	10.0	no 1st
			2010 Safety Courses	Flandreau	02/01/2010	15.0	
	4 Certs/N III/IV		2011 Safety Courses	Flandreau	02/01/2011	11.0	
			DMR Workshop	Sioux Falls	03/08/2012	7.0	

Ronald Ulwelling has 7.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

1525	Uthe	John	Stabilization Pond Wkshp	Sioux Falls	03/02/2010	7.0	no 1st
	Presho		Stage 2 Workshop	Mitchell	04/27/2010	6.0	
	3 Certs/N III/IV		Meter Class	Oacoma	05/25/2011	6.0	
			DMR Workshop	Winner	02/16/2012	6.5	
			Leak Detection Workshop	Mitchell	04/03/2013	7.0	

John Uthe has 13.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

723	Vellek	Frank	SDWWA Water Seminar	Sioux Falls	02/03/2010	10.0	no 2nd
			SDWWA Conference	Huron	09/14/2011	10.0	

Frank Vellek has 0.0 contact hours for 2015 renewal. Requires 20 hours/3 yrs

2701	Vollbrecht	Lisa	Has no contact hrs since 2/1/2010				Out
------	------------	------	-----------------------------------	--	--	--	-----

2785	Welch	Loren	Issued when eligible	Pierre	08/16/2011	30.0	no 1st
			WW Treatment	Watertown	08/23/2011	20.0	
	4 Certs/N III/IV		Basic Water Treatment	Sioux Falls	11/15/2011	18.5	
			RAS Safety Workshops-2011		06/01/2011	2.5	

Loren Welch has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

772	William	Randy	SDWWA Conference	Sioux Falls	09/15/2010	10.0	no 2nd
			Wastewater Lab Class	Rapid City	05/11/2010	21.0	
	2 Certs/Y III/IV		Loss Control	Deadwood	06/03/2010	4.0	
			Energy Conservation	Rapid Valley RWS	07/14/2011	6.0	
			SDWWA Conference	Huron	09/14/2011	10.0	

Randy William has 0.0 contact hours for 2015 renewal. Requires 30 hours/3 yrs

2325	Williamson	Todd	SDARWS Technical Conf	Pierre	01/11/2011	9.5	no Out
------	------------	------	-----------------------	--------	------------	-----	--------

Todd Williamson has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

533	Wilson	Walter	Basic Water Treatment	Spearfish	01/24/2012	15.0	no 1st
Walter Wilson has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2601	Winterton	Alan	Basic WW Treatment	Sioux Falls	12/06/2011	19.0	no 1st
	Garretson		Ditch Witch University	Sioux Falls	01/10/2012	3.0	
	3 Certs/N III/IV		SDWWA Water Seminar	Sioux Falls	02/22/2012	10.0	
			Ditch Witch University	Sioux Falls	01/07/2014	3.0	
Alan Winterton has 13.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs							
2860	Wojahn	Jedidiah	Issued when eligible	Pierre	01/17/2012	30.0	no 1st
Jedidiah Wojahn has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2649	Wright	Shawn	Inter Water Treatment	Rapid City	10/18/2011	20.0	no 1st
Shawn Wright has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1795	Wurtz	Albert	WW Collection/Water Dist	Sioux Falls	02/08/2011	12.0	no 1st
	Clearfield Colony		Small Water Tr Workshop	Huron	05/28/2013	7.5	
	1 Certs/N III/IV		RCAC Workshops	On-Line	08/08/2013	2.0	
Albert Wurtz has 9.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1858	Wurtz	Ben	SDARWS Technical Conf	Pierre	01/10/2012	11.5	no 1st
Ben Wurtz has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1827	Wurtz	Benny	Has no contact hrs since 2/1/2010				Out
1797	Wurtz	Joe	SDARWS Technical Conf	Pierre	01/10/2012	11.5	no 1st
Joe Wurtz has 0.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
1798	Wurtz	Jonathan	WW Collection/Water Dist	Sioux Falls	02/08/2011	12.0	no 1st
	Clearfield Colony		Small Water Tr Workshop	Huron	05/28/2013	7.5	
Jonathan Wurtz has 7.5 contact hours for 2015 renewal. Requires 10 hours/3 yrs							
2192	Yelkur	Amal	In-House Malcolm-Pirnie	White Plains NY	03/31/2010	5.0	no 2nd
	Revere		Arcadis Seminars	Florida	11/13/2013	5.0	
Amal Yelkur has 5.0 contact hours for 2015 renewal. Requires 10 hours/3 yrs							

2507	Youngberg	Todd	Basic Water Treatment	Spearfish	01/25/2011	10.5	no 1st
	Belle Fourche		MSHA Safety Workshop	Belle Fourche	01/13/2011	5.0	
	4 Certs/N III/IV		WWC Workshop	Custer	11/30/2011	7.0	
			Safety Training	Belle Fourche	01/12/2012	5.0	
			Basic Water Treatment	Spearfish	01/24/2012	4.0	
			WW Collection/Water Dist	Rapid City	09/25/2012	7.5	
			Annual Safety Training	Belle Fourche	01/16/2014	5.0	

Todd Youngberg has 12.5 contact hours for 2015 renewal. Requires 15 hours/3 yrs

2791	Zahn	Avery	Issued-Exam Passed	Sioux Falls	12/09/2010	30.0	no 2nd
------	------	-------	--------------------	-------------	------------	------	--------

Avery Zahn has 0.0 contact hours for 2015 renewal. Requires 15 hours/3 yrs

There are 176 operators not eligible to renew.
 First year of lack of contact hours- 114
 Second year of lack of contact hours- 41
 Losing certificates-Lack of contact hours- 21